

# T590 Compact Track Loader



Non-Current Model: See the current [T62 Compact Track Loader](#)

Shop Parts, Fluids & More

[Service Schedules](#)

[Order Manuals](#)

[Operator Training](#)

[Used Inventory](#)

## T590 Specifications

▲ T590 Key Specifications
T590
Rated Operating Capacity (ISO)
2,100 lb
Operating Weight
7870 lb
Ground Pressure (Rubber)
5.6 psi
Auxiliary Std Flow
17.1 gal/min

Auxiliary High Flow
26.7 gal/min
Joystick Control
Optional

⬆ Engine
T590
Emissions Tier (EPA)
Interim Tier 4
Engine Cooling
Liquid
Engine Fuel
Diesel
Horsepower
66 hp
Turbocharged Engine
yes

⬆ Performance
T590
Rated Operating Capacity (ISO)
2,100 lb
Operating Capacity (50% of Tip)
3000 lb
Tipping Load
6000 lb
Operating Weight
7870 lb
Travel Speed
7.3 mph
Ground Pressure (Rubber)
5.6 psi

⬆ Capacities
T590
Fuel Tank
24.8 gal

⬆ Hydraulic System
T590
System Relief @ Quick Couplers

3,500 psi
Auxiliary Std Flow
17.1 gal/min
Auxiliary High Flow
26.7 gal/min

▲ Dimension
T590
Length
133 in
Length without Attachment
104.6 in
Length with Standard Bucket
133 in
Width
67.1 in
Width (with bucket)
68 in
Height
77.8 in
Height with Operator Cab
77.8 in
Height to Bucket Hinge Pin
119 in
Reach @ Maximum Height
34.9 in
Turning Radius
80 in
Length of track on ground
55.2 in
Track Width
12.6 in
Track Width - Optional
15.8 in

▲ Features
T590
Joystick Control
Optional
Air Conditioning

Optional
Backup Alarm
Standard
BICS System (Interlock)
Standard
Cab Heater
Optional
Operating Lights
Standard
Suspension Seat
Standard
Two Speed Travel
Not Applicable
Deluxe Instrumentation
Optional
Engine Shutdown
Standard
Hydraulic Bucket Positioning
Optional
High Flow Option
Optional
Auxiliary Hydraulics
Standard
Bob-Tach Attachment System
Standard
Power Bob-Tach
Optional
ACS (Switchable Controls)
Optional
Ride Control
Optional
Horn
Standard
Cab Enclosure
Optional
Adjustable Seat
Standard
Sound Option
Optional

Rear Window
Standard
Top Window
Standard
Seat Belt
Standard
Spark Arrestor Muffler
Standard

# Search for Parts

Q

Search by Serial Number, Part Number or Keyword

Search ↗



**WARNING:** *This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).*

*Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*